

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

First

Named

Inventor: Yi Lu

Serial No.: 10/756,825

Group Art Unit No. 1645

Filing Date: January 13, 2004

Examiner: To Be Assigned

Title: BIOSENSORS BASED ON  
DIRECTED ASSEMBLY OF  
PARTICLES

**INFORMATION DISCLOSURE STATEMENT**

M.S. – Amendment  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Dear Sir:

In accordance with the provisions of 37 C.F.R. § 1.56, Applicants request that citation and examination of the references identified on the attached Form PTO-1449, required copies of which are enclosed herewith in accordance with 37 C.F.R. §1.98, be made during the course of examination of the above-referenced application for United States Letters Patent.

Respectfully submitted,



---

Paul E. Rauch, Ph.D.,  
Registration No. 38,591

Evan Law Group LLC  
566 West Adams  
Suite 350  
Chicago, Illinois 60661  
(312) 876-1400

Form PTO-1449 (Rev. 8-88)	Attorney Docket No. ILL05-041-US	Serial No. 10/756,825
<b>INFORMATION DISCLOSURE CITATION</b> (Use several sheets if necessary)	Applicant: Yi Lu	
	Filing Date: January 13, 2004	Group: 1645

Examiner Initials*		OTHER ITEMS - NON PATENT LITERATURE DOCUMENTS Include, as applicable: Author, Title, Date, Publisher, Edition or Volume, Pertinent Pages
	X123	Abstract of: Iwasaki, K., Mizota, T., Kenkyu Hokoku - Kanagawa-ken Kogyo Shikensho 1991, 62, 57.
	X276	Storhoff, J.J., et al., "Facile colorimetric detection of polynucleotides based on gold nanoparticle probes", Proceedings of the 1998 ERDEC Scientific Conference on Chemical and Biological Defense Research, November 17-20, 1998, Aberdeen Proving Ground, pp. 221-226, (1999).
	X338	Yang, Y., et al., "Measurement of lead and magnesium in distilled spirits using inductively coupled plasma optical emission spectrometry viewed from the end", Analytical Chemistry (Fenxi Huaxue), Chinese Journal of Analytical Chemistry, vol. 25, no. 9, pp. 1114-1117, (1997).
	X348	Cake, K.M., et al., "Partition of circulating lead between serum and red cells is different for internal and external sources of lead", American Journal of Industrial Medicine, vol. 29, pp. 440-445, (1996).
	X349	International Search Report dated August 31, 2004 for corresponding PCT application number PCT/US2004/002946.